

Pioneer Line of Accessories

Choose *genuine* Pioneer accessories to enjoy the best from your new Pioneer components.



Stereo Headphones/Cartridges and Replacement Styluses



\$75.00

SE-650

Around-the-Ear High-Sensitivity Headphones

Pioneer's finest around-the-ear design seals external noise out while ensuring long hours of fatigue-free listening. Samarium cobalt is used in the magnetic circuit for accurate dynamic response.

Frequency Range: 20—20,000Hz
Maximum Input Power: 1,000mW (each channel) **Connection Cord:** 9'5" **Weight:** 8.6 oz. (without connection cord)

*Vinyl head band and ear pads are in simulated leather.



\$70.00

SE-6

High-Sensitivity Stereo Headphones

Open-type headphones built around the samarium cobalt magnet for higher inputs, higher sensitivity and improved damping for exciting and immediate musical enjoyment.

Frequency Range: 20—20,000Hz
Maximum Input Power: 200mW (each channel) **Connection Cord:** 9'10" **Weight:** 7.3 oz. (without connection cord)

*Vinyl head band and ear pads are in simulated leather.



\$55.00

SE-550

Around-the-Ear High-Sensitivity Headphones

"Rare earth" alloy of samarium and cobalt gives ideal magnetic performance to this head-pampering set which features Pioneer's two-band design and thin polyester film dome-type diaphragm for realistic sound quality over the entire frequency range.

Frequency Range: 20—20,000Hz
Maximum Input Power: 1,000mW (each channel) **Connection Cord:** 9'5" **Weight:** 8.1 oz. (without connection cord)

*Vinyl head band and ear pads are in simulated leather.



\$50.00

SE-4

High-Sensitivity Stereo Headphones

A leading consumer magazine, the October issue of Consumer Reports, chose the SE-4 as a "Best Buy" for reasons of value and performance. Hear-through design uses 25 μ polyester film dome drivers for smoothness, wide-range response.

Frequency Range: 20—20,000Hz
Maximum Input Power: 200mW (each channel) **Connection Cord:** 9'10" **Weight:** 7.6 oz. (without connection cord)

*Vinyl head band and ear pads are in simulated leather.



\$45.00

SE-450

Around-the-Ear High-Sensitivity Headphones

High standards of performance are matched with a practical price in this headphone set which features ferrite magnetic circuitry and ultra-thin polyester film dome-type diaphragm for accurate monitoring and satisfying intimate listening.

Frequency Range: 20—20,000Hz
Maximum Input Power: 1,000mW (each channel) **Connection Cord:** 8'2" **Weight:** 9.9 oz. (without connection cord)

*Vinyl head band and ear pads are in simulated leather.



\$30.00

SE-2

High-Sensitivity Stereo Headphones

Super-thin polyester film dome-type drivers and powerful ferrite magnets deliver magnificent sound, while open design and soft ear pad cushions encourage long hours of listening.

Frequency Range: 20—20,000Hz
Maximum Input Power: 200mW (each channel) **Connection Cord:** 8'2" **Weight:** 7.3 oz. (without connection cord)

*Vinyl head band and ear pads are in simulated leather.

\$25.00



PN-145
Replacement Stylus

\$45.00



PC-145
Induced Magnet Cartridge

\$20.00



PN-135
Replacement Stylus

\$40.00



PC-135
Induced Magnet Cartridge



\$10.00

JC-51

Headphone Connecting Y-Cord

Connects with the headphone jack on your amp, receiver or cassette deck, and allows two sets of headphones to be driven. Cord provided is 10 feet long.

Audio Timers



\$119.00

DT-500 Digital Timer/Clock

Designed to match other Pioneer components. Will automatically turn on and off connected components and wake you up or permit unattended recording sessions. When set for On/Off function, the On time may be varied from one minute to 24 hours. Includes "snooze-off" feature, too.

Dimensions: 16-9/16 (W) x 2 (H) x 5-11/16 (D) **Weight:** 3 lb. 12 oz.


Cassette Tapes



PIONEER CASSETTE TAPES (sold in 10 packs only)

M1-60	(60 min./both sides) Metal Position Tape	\$91.50 /ctn
C1-90	(90 min./both sides) Chrome Position Tape	\$81.00 /ctn
N2-90	(90 min./both sides) Normal Position Tape	\$61.50 /ctn
N1-90	(90 min./both sides) Normal Position Tape	\$47.50 /ctn

Rack Mounting Components




\$300.00

JA-R2S Complete Rack System with EIA Rack Mount Kit

EIA (Electronic Industries Association) standard steel-frame rack mounts any EIA standardized audio components. Can handle components up to 21U (total) high. Recommended Pioneer components are: RT-909, RT-707, CT-F1250, CT-F950, etc.

Dimensions: 20-1/4 (W) x 44-7/8 (H) x 21 (D) **Weight:** 42 lb. 5 oz.



\$60.00

JA-R101

Rack Mounting Adaptor (Tray)

Mounts a non-EIA-standard audio component onto the JA-R2S rack, such as Pioneer SG-9800, etc.



\$35.00

JA-R102

Rack Mounting Adaptor (Handles)

Designed for mounting such components as Pioneer CT-F1250 and CT-F950 in the JA-R2S rack.



\$13.50

JA-R104

Rack Mounting Adaptor (Brackets)

Designed for mounting such components as Pioneer SR-303 and RG-2 in the JA-R2S rack.



\$80.00

JA-R105

Rack Mount Kit

(Frame and Handles)

Designed for mounting such components as Pioneer SA-9800 and SA-8800 in the JA-R2S rack. (Component shown in photo not included in kit.)



\$80.00

JA-R106

Rack Mounting Kit

(Frame and Handles)

Designed for mounting such components as Pioneer SA-7800, TX-9800 and TX-7800 in the JA-R2S rack. (Component shown in photo not included in kit.)

Microphones



\$130.00

DM-61

Dynamic Microphone

A specially designed microphone for voice, which includes a moving structure in double floating suspension to prevent handling noise, and many other features for durability and improved reliability.

Frequency Response: 80 — 12,000Hz **Output Impedance:** 600 ohms **Sensitivity:** -75dB



\$100.00

DM-51

Dynamic Microphone

Designed for natural recording of musical instruments and voice, the DM-51 features new 20µ polycarbonate diaphragm, as well as special features to minimize handling noise, wind and pop noise.

Frequency Response: 80 — 14,000Hz **Output Impedance:** 600 ohms **Sensitivity:** -72dB



\$30.00

DM-21

Dynamic Microphone

Moving structure isolated from the rest of the mike reduces handling noise to minimum in this mike, which is ideal for field use or for interviews. Features include wind screen, polyester film diaphragm, and "talk" switch (ON/OFF).

Frequency Response: 100 — 15,000Hz **Output Impedance:** 500 ohms **Sensitivity:** -77dB

U.S. PIONEER ELECTRONICS CORP./ACCESSORY SALES DEPT.

737 Fargo Avenue, Elk Grove Village, Illinois 60007, U.S.A.

*For more information, you may telephone: (312) 593-2960.

PLEASE SEND ORDERS TO:

U.S. Pioneer Electronics Corp.
Attn: Accessory Sales Dept.
737 Fargo Avenue
Elk Grove Village, Ill. 60007

PLEASE PRINT CAREFULLY (This is your shipping label)

MY NAME _____
ADDRESS _____ APT # _____
CITY _____
STATE _____ ZIP _____

(SORRY, P.O. BOX NUMBERS AND RURAL ROUTES ARE NOT ACCEPTABLE FOR U.P.S. DELIVERY. NO C.O.D.'S)

MY TELEPHONE (DAYS) IS (____) _____

- I've enclosed a check in the amount of \$ _____
(Personal checks cannot exceed \$50.00)
- I've enclosed a money order PAYABLE TO U.S. PIONEER
in the amount of \$ _____
- We accept VISA or MASTERCARD (\$ 10.00 minimum on
credit card sales)

Account # (All digits)

Expiration date _____

Signature _____
(Required if using credit card)

NOTE: YOUR CREDIT CARD ACCOUNT IS NOT CHARGED UNTIL YOUR ORDER IS SHIPPED.

Quantity	Stock #	Description	Price	Total

Subtotal	\$
Please add 6% Sales Tax	\$
Shipping & Handling Chg.	\$ 2.00
Total	

PLEASE ALLOW 4 to 6 WEEKS FOR DELIVERY.

PLEASE SEND ORDERS TO:

U.S. Pioneer Electronics Corp.
Attn: Accessory Sales Dept.
737 Fargo Avenue
Elk Grove Village, Ill. 60007

PLEASE PRINT CAREFULLY (This is your shipping label)

MY NAME _____
ADDRESS _____ APT # _____
CITY _____
STATE _____ ZIP _____

(SORRY, P.O. BOX NUMBERS AND RURAL ROUTES ARE NOT ACCEPTABLE FOR U.P.S. DELIVERY. NO C.O.D.'S)

MY TELEPHONE (DAYS) IS (____) _____

- I've enclosed a check in the amount of \$ _____
(Personal checks cannot exceed \$50.00)
- I've enclosed a money order PAYABLE TO U.S. PIONEER
in the amount of \$ _____
- We accept VISA or MASTERCARD (\$ 10.00 minimum on
credit card sales)

Account # (All digits)

Expiration date _____

Signature _____
(Required if using credit card)

NOTE: YOUR CREDIT CARD ACCOUNT IS NOT CHARGED UNTIL YOUR ORDER IS SHIPPED.

Quantity	Stock #	Description	Price	Total

Subtotal	\$
Please add 6% Sales Tax	\$
Shipping & Handling Chg.	\$ 2.00
Total	

PLEASE ALLOW 4 to 6 WEEKS FOR DELIVERY.

Tape Deck Accessories

PR-101

10-1/2" Empty Reel

Designed for Pioneer RT-909, RT-901 and other open-reel decks accepting 10-1/2" reels. Sturdy aluminum prevents flanges from torsion, allowing smooth and even spooling and unspooling of loaded tape.

\$18.00



\$18.00

PR-100

10-1/2" Empty Reel

Designed for Pioneer RT-2022/2044, RT-1050, RT-1020L, RT-1011L and other open-reel decks accepting 10-1/2" reels. Sturdy aluminum prevents flanges from torsion, allowing smooth spooling and unspooling of loaded tape.



\$15.00

PR-85

7" Empty Reel

Designed for Pioneer RT-707, RT-701 and other open-reel decks. Precision aluminum-alloy reel with standard hub and slip-proof clamper grooves. Flanges are solid enough to withstand warping.

JT-211

Wired Remote Control

A full-function remote control unit for Pioneer RT-2022/RT-2044 Open-Reel Decks. Functions include: FAST FORWARD, REWIND, PLAY, RECORD, STOP & PAUSE. Indicators provided are for PLAY & RECORD. Wire is 10 feet long.

\$75.00



\$10.00

JC-9

DIN Record/Play Connector

Connects your tape deck with an amp or a receiver when both have identical 5-pin sockets. One single cable contains both input and output wires. 70pF capacitance per meter, 120pF capacitance total. Length is 5 feet.



\$11.00

PP-220A

10-1/2" Reel Adaptor

Securely clamps 10-1/2" reels for tight spooling of loaded tape. Slip-proof clamper grooves provided. A reel-height adjusting sheet permits the use of NAB standard reels.

NOTE: Specifications and design subject to possible modification without notice.

If you do not plan to purchase any Pioneer accessories at this time but would like to have your name added to Pioneer's mailing list for future product information, please fill out the followings:

Date: _____

Name: _____ Address _____

Telephone () _____ City _____ State _____ Zip _____

Type of Pioneer product(s) purchased: _____

Was this purchased as part of a system? _____ Total amt.spent \$ _____

If yes, please describe _____

Do you now own any other Pioneer products? _____ How many _____

If yes, please describe _____

In what type of store did you make your Pioneer purchase?

- | | | |
|---|--------------------------------------|---|
| <input type="checkbox"/> Hi-Fi Speciality Store | <input type="checkbox"/> Dept. Store | <input type="checkbox"/> TV / Appliance Store |
| <input type="checkbox"/> Catalog Showroom | <input type="checkbox"/> Mail Order | <input type="checkbox"/> Other _____ |

Would you like to participate in a Pioneer market survey or questionnaire? Yes No



U.S. PIONEER ELECTRONICS CORP.
ACCESSORY SALES DEPT.

737 Fargo Avenue, Elk Grove Village, Illinois 60007, U.S.A.